

Gabriel®



FIGHTER SPECIFICATIONS

Design no.	8610	
Application	contract	
Composition	100% polyester	
Weight	g/lm oz./lin.yd	510 16.45
Width	cm inches	140 55
Abrasion	rubs martindale (EN ISO 12947-2)	130,000
Pilling	scale 1-5, max. 5 - EN ISO 12945-2	4-5
Light fastness	scale 1-8, max. 8 - EN ISO 105-B02	5-7
Rubbing fastness	scale 1-5, max. 5 - EN ISO 105x12 (wet/dry)	4-5/4-5
Maintenance	<p>wash or dry cleaning P(W).</p> <p>Fighter is made of polyester which is a synthetic material suited for environments with special requirements for cleaning.</p> <p>click here for guidance relating to disinfection.</p> <p></p> <p>40°C shrinkage max. 2%.</p>	
US ACT	<ul style="list-style-type: none"> ★ ASTM D3511 Pilling pass ▲ ASTM D4157-07 Wyz abrasion (heavy duty) pass ☛ CA TB 117-2013 pass ● AATCC 8 or 116 Wet/dry crocking pass 	
Flammability	<p>BS EN 1021-1 Cigarette BS EN 1021-2 Match CA TB 117-2013 ÖNORM A3800-B1-B3825-Q1 UK BS 5852 Part 1 0.1 Cigarette & match</p> <p>Will also pass other flammability standards. Flame retardant performance is dependent upon the foam used. Contains no flame retardant chemicals.</p>	
Flammability with flameretardant treatment	<p>FAR/JAR 25.853 (a),(i),(ii) (flame retardant)</p>	
Certificates	<input type="button" value="Expand list"/>	<input type="button" value="Complete list"/>
Environment	STANDARD 100 by OEKO-TEX®	
Design	Inger Mosholt Nielsen	
Colours	Inger Mosholt Nielsen	

CHARACTERISTICS

- Softness
- Volume
- Exclusive appearance
- All-round upholstery textile
- Good stretching qualities
- Washable at 40°C
- High abrasion resistance - 130,000 Martindale
- 100% recyclable polyester
- No heavy metals
- STANDARD 100 by OEKO-TEX®
- Meet Möbelfakta requirements

LABELLING

